Claims


1. A semiconductor or a charge transport material comprising a compound or a polymer comprising a 3,3"-disubstituted poly-2,2':5',2''-terthiophene unit of formula I

$$\begin{array}{c|c}
R^1 & R^2 \\
 & S & S & S
\end{array}$$

wherein R^1 and R^2 are, independently of each other, straight chain or branched alkyl, alkoxy, alkenyl, alkylcarbonyl, alkylcarbonyl, alkylcarbonyloxy, alkylthio, alkylthioalkyl, alkoxyalkyl, alkylsulfinyl or alkylsulfonyl with 1 - 20 C-atoms, or alkylaryl or arylalkyl comprising an alkyl group with 1 - 20 C atoms, and n is an integer > 1.

- 2. An optimal, electrooptical, or electronic device comprising a semiconductor or a charge transport material according to claim 1.
- 3. A semiconductor or a charge transport material according to claim 1, wherein n in formula I is an integer of 2 5000.
- 4. A semiconductor or a charge transport material according to claim 1, wherein R^1 and R^2 in formula I are independently, a straight chain alkyl with 1 12 C atoms.
- 5. A field effect transistor comprising a semiconductor or a charge support material according to claim 1.

- 6. An optical, electrooptical or electronic device, or a field effect transistor comprising a semiconductor or charge transport material according to claim 3.
- 7. A thin film transistor or a thin film transistor array for a flat panel display, a radio frequency identification tag, an integrated circuit or an organic light emitting diode comprising a field effect transistor according to claim 5.
- 8. A security marking or device comprising a field effect transistor according to claim 5.
- 9. A radio frequency identification tag comprising a field effect transistor according to claim 5.
- 10. A security marking or device comprising a radio frequency identification tag according to claim 9.
- 11. An electroluminescent display comprising an electroluminescent layer and/or a charge transport layer, wherein at least one layer comprises a field effect transistor according to claim 5.
- 12. A liquid crystal display comprising a backlight, wherein the backlight comprises a field effect transistor according to claim 5.



reductively doping a semiconductor or a charge transport material according to claim 1.

18. A semiconductor or a charge transport material according to claim 1, further comprising delocalized ionic centers in the material.